

I CLAIM:

8. A golf putter, comprising:

(a) a putter head having a striking face, a sole, a centerline marker marking a center of gravity of said putter head, a toe normally positioned remote from a user when in play and a heel opposite said toe; and

(b) an elongated putter shaft having a grip on one end and, at an opposite end, attached to said putter head between the centerline marker and said toe, said putter shaft having a transverse marking which lines up vertically with the centerline marker on said putter head when a user is holding said putter in a putting position with the golfer's eyes over said centerline marker of said putter head.

9. The golf putter according to claim 8, wherein the centerline marker is perpendicular to the striking face and is vertically aligned with the center of gravity of said putter head.

10. The golf putter according to claim 8, wherein said putter shaft extends across said putter head from proximate said toe towards said heel at an acute angle with the sole of said putter head, crossing the center line of said putter head.

11. The golf putter according to claim 10, wherein said putter shaft extends up from said putter head vertically, when said putter is in the putting position and then angles toward the golfer.

12. A method of aligning a putter and a golfer's eyes to a putter head and a desired line of travel, comprising:

10

(a) providing a putter which has a shaft attached proximate a toe of a putter head and at least a portion of which shaft angles back towards a golfer when said golfer and said shaft are in the putting position;

15

(b) placing a centerline marker over a center of gravity of the putter head;

20

(c) placing a marker on an upper side of the shaft of said putter which vertically aligns with the centerline marker when said putter is in the putting position; and

(d) holding said putter in the putting position and
then aligning a golfer's eyes with the aligned mark
on said shaft and said centerline mark on the putter
head such that the putter head is perpendicular to
the desired direction of travel of the golf ball.

5